

Inactivated trivalent poultry vaccine containing serotype A, B and C of *Avibacterium paragallinarum*



Nobilis® Corvac



NOT FOR HUMAN USE; FOR ANIMAL TREATMENT ONLY

Warning: To be sold by retail on the prescription of a 'Veterinary Doctor' only

Nobilis Corvac is an inactivated trivalent vaccine containing the *Avibacterium paragallinarum* strains 083 (serotype A), Spross (serotype B) and H18 (serotype C) incorporated in a water-in-oil emulsion.

Composition:

Each dose of 0.5 ml of vaccine contains, at least 1 CPD₇₀ each of the serotype A, B and C of *Avibacterium paragallinarum*, inactivated by thiomersal and suspended in the aqueous phase of a water-in-oil emulsion.

Indications:

Vaccination against *Avibacterium paragallinarum* infections in chickens.

Vaccination Scheme:

Subcutaneous injection of 0.5 ml of vaccine in layers and breeders from 5 till 10 weeks old and a revaccination a few weeks before the onset of egg production. Interval between vaccinations at least 6 weeks.

Dose and administration:

Inject 0.5 ml per bird subcutaneously in the lower part of the neck.

Compatibility:

No interactions have been found when Nobilis Corvac was applied simultaneously with Intervet's inactivated vaccine Nobilis IB+G+ND

Vaccination Reaction:

In healthy animals no clinical reactions to vaccination will be observed. Slight swelling at the site of injection for some weeks after vaccination is occasionally observed.

Withdrawal Period:

None

Special Warning(s):

- Vaccinate healthy birds only.
- Before using the vaccine allow it to reach room temperature (15-25° C)
- Use sterile syringe and needle.
- In case of accidental self-injection, seek medical advice immediately and show the package leaflet or label to the physician.

To the user:

This product contains mineral oil. Accidental injection/ self injection may result in severe pain and swelling, particularly if injected into a joint or finger, and in rare cases could result in the loss of the affected finger if prompt medical attention is not given. If you are accidentally injected with this product, seek prompt medical advice even if only a very small amount is injected and take the package leaflet with you.

To the physician:

This product contains mineral oil. Even if small amount has been injected, accidental injection with this product can cause intense swelling, which may, for example, result in ischaemic necrosis and even the loss of digit. Expert, Prompt, surgical attention is required and may necessitate early incision and irrigation of the injected area, especially where there is involvement of finger pulp or tendon.

- Do not use in birds in lay.
- No particular symptoms at double dose.

Shelf Life: 24 months when stored at 2 to 8 °C

Storage:

Store at 2-8° C. Protect from light.
Do not freeze.

Presentation:

500 ml /1000 doses

Manufactured by:

Intervet International B V
Wim de Körverstraat 35
5831 AN Boxmeer,
The Netherlands.

Imported and Marketed by:

Intervet India Pvt. Ltd.
Sagar complex, Bldg.B-1
Gala No. 12 to 14
Ovali Village, Bhiwandi
Thane 421302

