

FOR THE USE ONLY OF A VETERINARIAN OR  
A HOSPITAL OR A LABORATORY OR A FARM

# INFECTIOUS CORYZA VACCINE, INACTIVATED IP

Nobilis®  
CORYZA



NOT FOR HUMAN USE  
FOR ANIMAL TREATMENT ONLY.

Warning: To be sold by retail on the prescription of a 'Veterinary Doctor' only

## PRESENTATION

Vials of 250 ml (1000 doses).

## COMPOSITION

Each dose of vaccine contains at least 1 chicken PD<sub>70</sub> of each strain of the *A. paragallinarum* strains-083 (serotype A), Spross (Serotype B) and H-18 (Serotype C). The active components are suspended in an aqueous saponin adjuvant.

## INDICATION

Vaccination against *Avibacterium paragallinarum* infections in chickens.

## VACCINATION PROGRAM

Chickens can be vaccinated from 10 weeks of age onwards. To achieve a protection in layers and breeders of 52 weeks post vaccination, two vaccinations are required. The first dose has to be administered at the age of 10-12 weeks and the repeated dose a few weeks before the onset of egg production. The interval between two vaccinations has to be at least 4 weeks.

## DOSAGE AND ADMINISTRATION

Inject 0.25 ml per bird intramuscularly.

## VACCINATION REACTION

In healthy animals no abnormal clinical reactions are observed. Slight transient swelling at the site of injection for some weeks after vaccination is occasionally observed.

## WITHDRAWAL PERIOD

Zero days.

## LIST of EXCIPIENTS:

KH<sub>2</sub>PO<sub>4</sub>  
Na<sub>2</sub>HPO<sub>4</sub>  
NaCl  
AF 9030E

## NOTE

- Vaccinate healthy birds only.
- Before using vaccine allow it to reach room temperature (15°-25°C).
- Shake bottle prior to and intermittently during application.
- Use sterilized syringe and needle.
- Opened bottles should be used within 3 hours.
- Should a vaccinator by accident inject himself or a bystander, a local reaction may occur. It is recommended that the advice of a doctor be sought, taking care to inform the doctor about the nature of vaccine.

**SHELF LIFE** : 24 months for Polyethylene terephthalate (PET) & 12 months for glass bottles when stored at 2 to 8 °C

## STORAGE CONDITIONS

Store in dark between 2°C and 8°C.  
Avoid freezing.

## Manufactured by:

Intervet International BV  
Boxmeer, The Netherlands

## Imported and Marketed by:

Intervet India Pvt. Ltd.  
Sagar complex, Bldg. B-1  
Gala No. 12 to 16  
Ovali Village, Bhiwandi  
Thane 421302 India.

Imp. Lic. No.: SV-6-597



