377384 R1

FOR THE USE ONLY OF A VETERINARIAN OR A HOSPITAL OR A LABORATORY OR A FARM

Rx Freeze Dried Pellet of Natural Glycoprotein Human Chorionic Gonadotrophin

CHORULON®

NOT FOR HUMAN USE FOR ANIMAL TREATMENT ONLY

SCHEDULE H PRESCRIPTION DRUG – CAUTION Not to be sold by retail without the prescription of a Registered Veterinary Practitioner only

PRESENTATION

Chorulon consists of the protein human Chorionic Gonadotrophin (hCG) as a white freeze dried powder in vials of 1500, 5000 or 10000 IU together with solvent for reconstitution.

PHARMACEUTICAL FORM

Powder for solution for injection, supplied with reconstitution solvent

TARGET SPECIES

Cattle (cows and heifers), horses (mares)

INDICATIONS

Induction of ovulation in mares. Optimisation of fertility in cows and heifers (repeat breeders). Treatment of follicular cysts in cows and heifers.

DOSAGE AND ADMINISTRATION

| Animal species | Indication | Dosage and administration |
|----------------|---|--|
| Cow, heifer | improvement of conception rate | 1500 IU, i.m. or i.v. at A.I. or mating and / or 4 to 6 days later |
| | Treatment of follicular cysts | 3000 IU i.v. |
| Mare | induction of ovulation (follicles > 3,5 cm diameter) | 1500 - 3000 IU i.m. or i.v. 24 hours before A.I. or mating |

METHODS AND ROUTES OF ADMINISTRATION

Inject intramuscularly or intravenously

PSC020502_02_R1 90 x 160 mm Moved to repository by COPPUS 02:DetexcR020 11:19

ADVICE ON CORRECT ADMINISTRATION

Chorulon can be used in early pregnant animals (upto 2 weeks following mating / insemination)

Do not use in animals in late pregnancy Chorulon may be used during lactation

CONTRAINDICATIONS

None known

ADVERSE REACTIONS

In rare cases, as with all protein preparations, anaphylactic reactions may occur shortly after injection. When symptoms appear, adrenaline injection (1:1000) given intravenously or intramuscularly is the standard treatment. The administration of corticosteroid may also be indicated.

SPECIAL WARNINGS

Aseptic precautions should be adopted at the time of injection.

hCG has been used in human medicine for decades. There are no fundamental differences in effects of hCG in humans and animals: hCG can influence fertility in humans after injection. Care must be taken when using Chorulon to avoid self-injection. In case of accidental self-injection, seek medical advice immediately and show the package insert or the label to the physician.

Accidental spillage on the skin should be washed-off immediately with soap and water.

WITHDRAWAL PERIODS

For milk and edible tissues: zero days

STORAGE CONDITIONS Store at 2 to 8 °C SHELF LIFE 36 months After reconstitution, the product may be stored at +2°C to +8°C for upto 24 hours.

Manufactured by: Intervet International B.V. Boxmeer, The Netherlands Imported and Marketed by: Intervet India Pvt. Ltd. Sagar complex, Bldg.B-1 Gala No. 12 to 16 Ovali Village, Bhiwandi Thane 421302



PSC020502_02_R1 90 x 160 mm Moved to repository by COPPUS 02: Deterc R020 11:19