Infectious Coryza Vaccine I.P.

Nobilis



232290 R2

Nobilis® CORVAC-4

NOT FOR HUMAN USE FOR ANIMAL TREATMENT ONLY



WARNING: To be sold by retail on the prescription of a "Veterinary Doctor" only.

Description

Nobilis® Corvac -4 is an inactivated tetravalent vaccine against Infectious Coryza in chicken.

Composition

Per dose of 0.5ml contains

Avibacterium paragallinarum

-	strain 083	(serotype A)	At least 1 CPD ₇₀ *
-	strain Spross	(serotype B)	At least 1 CPD ₇₀
-	strain H-18	(serotype C)	At least 1 CPD ₇₀
-	strain 48	(serotype variant type B)	At least 1 CPD ₇₀

Adjuvant:

 Light Liquid Paraffin
 234.8 mg

 Polysorbate 80
 3.6 mg

 Sorbitan oleate
 12.7 mg

Excipients:

NaCl

Water for Injection (WFI)

Indication

For active Immunization of healthy chicken to reduce infection and clinical signs of Infectious Coryza caused by Avibacterium paragallinarum. The protective effects are demonstrated from 3 weeks up to at least 49 weeks post vaccination

Target Species

Poultry (Chicken)

Contraindications

None

Method of administration

Subcutaneous injection of 0.5ml of vaccine in chicken from 3 weeks of age onwards and a revaccination before lay. The interval between the vaccinations should be at least 6 weeks.

Side effects

The chicken may be less active after vaccination, but all birds return to normal next day. A small transient swelling at the injection site may be observed in the majority of the birds within the first week after vaccination, which disappear gradually thereafter.

Withdrawal period

Zero days

Advice on correct administration

- Before using the vaccine allow it to reach room temperature
- Shake well before use
- Use sterile syringes & needles
- Avoid introduction of contamination
- Vaccinate only healthy birds

PSC020S10 02_R1 120x160mm Two sides printed

^{* 70%} chicken protective dose

Special Storage precautions

Store at +2°C to +8°C. Do not freeze. Use reconstituted product within three hours

Shelf life

24 months

Shelf life after first opening of container: 3 hours

Special warnings, if necessary:

No information is available on safety and efficacy for concurrent use of this vaccine with any other except Nobilis IB+ND+EDS and Nobilis IB + ND. It is therefore recommended that no other vaccine should be administered concurrently with the product.

In absence of incompatibility studies this vaccine must not be mixed with other veterinary medical products.

In case of accidental self-injection, seek medical advice immediately and show the package insert or label to the physician.

Special Precautions for use:

Special precautions to be taken by the person administering the veterinary medicinal product to animals

To the user

This veterinary medicinal product contains mineral oil. Accidental injection/self-injection may result in severe pain and swelling, particularly if injected into a joint or finger, and in rare cases could result in the loss of the affected finger if prompt medical attention is not given. If you are accidentally injected with this product, seek prompt medical advice even if only a very small amount is injected and take the package leaflet with you. If pain persists for more than 12 hours after medical examination, seek medical advice again.

To the physician:

This veterinary medicinal product contains mineral oil. Even if small amounts have been injected, accidental injection with this product can cause intense swelling, which may, for example, result in ischaemic necrosis and even the loss of a digit. Expert, PROMPT, surgical attention is required and may necessitate early incision and irrigation of the injected area, especially where there is involvement of finger pulp or tendon.

List of excipients:

Light liquid paraffin, Polysorbate 80, Sorbitan oleate, Nacl

Other Information:

The Vaccine is not recommended for birds in lay.

Pack size/ Presentations:

500 ml (1000 doses) polyethylene multi dose bottles

Manufactured by:

Intervet International B.V.,

Wim de Korverstraat 35, 5831

AN Boxmeer, The Netherlands.

Imported & Marketed by:

Intervet India Pvt. Ltd.,

Bldg. No. B-1, Godown No.12 to 16, Ground Floor & Godown No.12-A to 17-A First Floor,

House No. 233, Sagar Complex, Owali,

Bhiwandi, Thane -421302, Maharashtra, India.

